Polymorphic types

Polymorphism, Recursive Data Types, and Trees

Björn Lisper School of Innovation, Design, and Engineering Mälardalen University

bjorn.lisper@mdh.se
http://www.idt.mdh.se/~blr/

Consider the good old length function:

What is the type of length?

It could be int list -> int, or char list -> int, or even
(int list) list -> int! So it has many different types!

length should really work regardless of the type of the elements

It has type 'a list -> int, where 'a is a type variable

Polymorphism, Recursive Data Types, and Trees (revised 2013-11-20)

Polymorphism, Recursive Data Types, and Trees (revised 2013-11-20)

'a list -> int is a polymorphic type

length : 'a list -> int means that length has any type we can
obtain by replacing 'a with some arbitrary type

Examples:

```
a \leftarrow int \implies length : int list \rightarrow int
```

- $a \leftarrow char \implies length : char list -> int$
- 'a $\leftarrow \, \text{int list} \implies \text{length}$: (int list) list -> int

'a list -> int is the most general type of length

The type system of F# gives the most general type, unless you give an explicit type declaration

Type inference is used to find this type

1

A Restriction for Polymorphic Types

Some other polymorphic list functions (and lists):

```
List.head : 'a list -> 'a
List.tail : 'a list -> 'a list
take : int -> 'a list -> 'a list
drop : int -> 'a list -> 'a list
(@) : 'a list -> 'a list -> 'a list
(::) : 'a -> 'a list -> 'a list
[] : 'a list
```

Some polymorphic expressions are not allowed

Due to some deep technical reasons

This is called the "value restriction"

Affects expressions that are not value expressions

A value expression can be evaluated no further. Some examples:

17 [] (2.3,[]) sqrt [1;2;3] failwith

Some expressions that are not value expressions (can be evaluated further):

17+33 [] @ [] sqrt 5.0 List.head [1;2;3] failwith "Error!"

Polymorphism, Recursive Data Types, and Trees (revised 2013-11-20)

Polymorphism, Recursive Data Types, and Trees (revised 2013-11-20)

5

The Value Restriction

The value restriction states that *right-hand sides in let declarations that are not value expressions can not be polymorphic*

Some examples:

let a = 17 + x \\ OK, 17 + x is not a value expression but has type int let b = [] \\ OK, [] has polymorphic type 'a list but is a value expression let c = [] @ [] \\ Not OK, [] @ [] has polymorphic type and is not a value expression let d = 3 :: ([] @ [])

 $\ \$ OK, 3 :: ([] @ []) has (non-polymorphic) type int list

Recursive Data Types

So far, we have defined data types with a number of cases, each of fixed size

How do we define data types for data like lists, which can have an arbitrary number of elements?

By making the data type definition recursive:

type IntList = Nil | MkIntList of (int * IntList)

An element of type <code>IntList</code> can be either <code>Nil</code>, or a data structure that contains an <code>int</code> and an <code>IntList</code>

Note similarity between data type declaration and context-free grammar

Δ

Polymorphism

Some IntList examples:



Polymorphism, Recursive Data Types, and Trees (revised 2013-11-20)

Data Types for Trees

We can easily make our own data types for *trees*, like:

type Tree<'a> = Leaf of 'a | Branch of Tree<'a> * Tree<'a>

A data type for trees with data stored in the leaves



Many other variations possible, see examples in the book

Let us use this type for now

8

We can roll our own polymorphic list data type:

type List<'a> = Nil | MkList of 'a * List<'a>

Here, 'a is a type variable. Note the syntax <...> for user-defined polymorphic types: different from syntax for built-in polymorphic data types like 'a list

This data type is precisely the same as F#'s list data type, except that the constructor names are different!

Data type declarations can be recursive and polymorphic

Most of F#'s built-in data types can in principle be declared in the language itself

Polymorphism, Recursive Data Types, and Trees (revised 2013-11-20)

Operations on Trees

Let us define some useful operations over our trees:

- a function to put the elements in a tree into a list,
- a function to compute the size (number of leaves) of a tree, and
- a function to compute the *height* of a tree.

(Code on next two slides)

q

To put the elements in a tree into a list:

fringe : Tree<'a> -> 'a list
let rec fringe t =
 match t with
 Leaf x -> [x]
 Branch (t1,t2) -> fringe t1 @ fringe t2

Size (number of leaves):

```
treeSize : Tree<'a> -> int
let rec treeSize t =
  match t with
    Leaf _ -> 1
    Branch (t1,t2) -> treeSize t1 + treeSize t2
```

Polymorphism, Recursive Data Types, and Trees (revised 2013-11-20)

```
12
```

Height:

treeHeight : Tree<'a> -> int
let rec treeHeight t =
 match t with
 Leaf _ -> 0
 Branch (t1,t2) -> 1 + max (treeHeight t1) (treeHeight t2)

Polymorphism, Recursive Data Types, and Trees (revised 2013-11-20)

A Different Example: Arithmetic Expressions

Arithmetic expressions are really trees:

Let us define a data type for arithmetic (floating-point) expressions! We can then use it for various symbolic manipulations of such expressions

(Data type declaration on next slide)

type Expr = C of float | Add of Expr * Expr | Sub of Expr * Expr | Mul of Expr * Expr | Div of Expr * Expr

Each tree now represents an arithmetic expression:



Polymorphism, Recursive Data Types, and Trees (revised 2013-11-20)

13

Evaluating Expressions

One operation is to *evaluate* expressions

eval : Expr -> float let rec eval e = match e with | C x -> x | Add (e1,e2) -> eval e1 + eval e2 | Sub (e1,e2) -> eval e1 - eval e2 | Mul (e1,e2) -> eval e1 * eval e2 | Div (e1,e2) -> eval e1 / eval e2

eval (Add ((C 17.0), Sub (C 3.0, C 1.0))) \implies 19.0

eval is a simple interpreter for our expression trees

Polymorphism, Recursive Data Types, and Trees (revised 2013-11-20)

16

Exercise (mini-project): extend Expr with *variables*. Then define a small *symbolic algebra package* for manipulating and simplifying expressions, for instance:

- evaluate constant subexpressions
- simplify as far as possible using algebraic identities
- symbolic derivation
- etc...

Polymorphism, Recursive Data Types, and Trees (revised 2013-11-20)

17